

Product datasheet for **AP02391PU-N**

PKC mu (PRKD1) pSer910 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IF, WB
Recommended Dilution:	Western Blot: 1/500-1/1000. Immunofluorescence:1/100-1/200.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	The antiserum was produced against synthesized phosphopeptide derived from human PKD/PKC μ around the phosphorylation site of serine 910 (R-V-SP-I-L).
Specificity:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site. This antibody detects endogenous levels of PKD/PKC μ only when phosphorylated at Serine 910.
Formulation:	PBS (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02% Sodium Azide and 50% Glycerol. State: Aff - Purified State: Liquid purified Ig fraction.
Concentration:	lot specific
Purification:	Immunoaffinity chromatography.
Conjugation:	Unconjugated
Storage:	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Gene Name:	protein kinase D1
Database Link:	Entrez Gene 5587 Human Q15139
Synonyms:	Protein kinase D, PKC D1, PKD, PKD1, PRKCM, nPKC-D1, nPKC-mu, PKC mu, Protein kinase C mu type



[View online »](#)

Product images:




Figure 1. Western blot analysis of extract from A431 cells, untreated or treated with EGF (200 ng/ml, 10 min), using PKD/PKC μ antibody (Lane 1 and 2) and PKD/PKC μ pSer910 antibody (Lane 3 and 4).




Figure 2. Immunofluorescence staining of methanol-fixed HeLa cells using PKD/PKC μ pSer910 antibody (Red).