

Product datasheet for AP02455PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ASK1 (MAP3K5) pSer83 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Suitable for use in Suitable for use in Western blot (1:500-1:1000) and Immunohistochemistry

on paraffin-embedded sections (1:50-1:100).

Reactivity: Human

Host: Rabbit

Clonality: Polyclonal

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human ASK1

around the phosphorylation site of serine 83 (G-S-Sp-V-G).

Specificity: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatogramphy using non-phosphopeptide corresponding to the phosphorylation site.

ASK1 (phospho-Ser83) antibody detects endogenous levels of ASK1 only when

phosphorylated at serine 83.

Formulation: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02% Sodium Azide and 50% Glycerol.

State: Aff - Purified

State: Liquid purified Ig fraction.

Concentration: lot specific

Purification: Immunoaffinity chromatography using epitope-specific phosphopeptide.

Conjugation: Unconjugated

Storage: Store the antibody (in aliquots) at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: One year from despatch.

Gene Name: mitogen-activated protein kinase kinase kinase 5

Database Link: Entrez Gene 4217 Human

Q99683





Background:

Mitogen activated protein (MAP) kinase cascades are activated in response to various extracellular stimuli including cytokines, growth factors and environmental stresses. A novel MAP kinase kinase kinase (MAPKKK) was recently identified and designated ASK1 (for apoptosis signal-regulating kinase 1). ASK1 activates two different subgroups of MAPKK, MKK4 and MKK6, which in turn activate c-Jun N terminal kinase (JNK) and p38 MAP kinase, respectively. ASK1 is activated by TNFR and Fas through the interaction with members of the TRAF family and Fas associated protein Daxx. Overexpression of ASK1 induces apoptotic cell death, and a catalytically inactive form of ASK1 inhibits TNF alpha-induced apoptosis. ASK1 is expressed in variety of human and mouse tissues.

Synonyms:

MAPK/ERK kinase kinase 5, MAPKKK5, MAP3K5

Product images:




Figure 2. Western blot analysis of extracts from K562 cells using ASK1 (phospho-Ser83) antibody.




Figure 1. Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using ASK1 (phospho-Ser83) antibody.

P-Peptide