

Product datasheet for **AP02456PU-S**

ASK1 (MAP3K5) pSer966 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Western blot: 1/500-1/1000. Note: Incubate membrane with diluted antibody in 5% nonfat milk, 1xTBS, 0.1% Tween-20 at 4°C with gentle shaking, overnight. Immunohistochemistry on Paraffin-Embedded Sections: 1/50-1/100.
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Peptide Sequence around the phosphorylation site of Serine 966 (S-I-S-L-P) derived from Human ASK1 .
Specificity:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site. ASK1 (phospho-Ser966) antibody detects endogenous levels of ASK1 only when phosphorylated at serine 966.
Formulation:	PBS (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02% Sodium Azide and 50% Glycerol. State: Aff - Purified State: Liquid purified IgG fraction.
Concentration:	lot specific
Purification:	Affinity-Chromatography using epitope-specific phosphopeptide. Non-phospho specific antibody was removed by chromatography using non-phosphopeptide.
Conjugation:	Unconjugated
Storage:	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Gene Name:	mitogen-activated protein kinase kinase kinase 5
Database Link:	Entrez Gene 4217 Human Q99683



[View online »](#)

Background:

Mitogen activated protein (MAP) kinase cascades are activated in response to various extracellular stimuli including cytokines, growth factors and environmental stresses. A novel MAP kinase kinase kinase (MAPKKK) was recently identified and designated ASK1 (for apoptosis signal-regulating kinase 1). ASK1 activates two different subgroups of MAPKK, MKK4 and MKK6, which in turn activate c-Jun N terminal kinase (JNK) and p38 MAP kinase, respectively. ASK1 is activated by TNFR and Fas through the interaction with members of the TRAF family and Fas associated protein Daxx. Overexpression of ASK1 induces apoptotic cell death, and a catalytically inactive form of ASK1 inhibits TNF alpha-induced apoptosis. ASK1 is expressed in variety of human and mouse tissues.

Synonyms:

MAPK/ERK kinase kinase 5, MAPKKK5, MAP3K5

Note:

Molecular Weight: 155 kDa


Product images:


Figure 2. Western blot analysis of extracts from various cells using ASK1 antibody (Phospho-Ser966).




Figure 1. Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue, using ASK1 antibody (phospho-Ser966) (Left) or the same antibody preincubated with Blocking peptide (Right).