

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AP02488PU-S

IRS1 pSer636 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Western Blot: 1:500~1:1000. Immunohistochemistry: 1:50-1:100.
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	The antiserum was produced against synthesized phosphopeptide derived from human IRS-1 around the phosphorylation site of serine 636 (P-M-SP-P-K).
Specificity:	IRS-1 antibody detects endogenous levels of IRS-1 only when phosphorylated at serine 636.
Formulation:	PBS(without Mg2+ and Ca2+), pH 7.4 containing 150mM NaCl, 0.02% sodium azide and 50% glycerol State: Aff - Purified State: Liquid purified lgG
Concentration:	lot specific
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.
Conjugation:	Unconjugated
Storage:	Store the antibody at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	insulin receptor substrate 1
Database Link:	Entrez Gene 3667 Human P35568



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE IRS1 pSer636 Rabbit Polyclonal Antibody – AP02488PU-S

Background:Insulin receptor substrates (IRS) are responsible for several insulin related activities, such as
glucose homeostasis, cell growth, cell transformation, apoptosis and insulin signal
transduction. Serine/threonine phosphorylation of IRS1 has been demonstrated to be a
negative regulator of insulin signaling and is responsible for its degradation, although IRS1
degradation pathways are not well understood. IRS1 has also been shown to be constitutively
activated in cancers such as breast cancer, Wilm's tumors, and adrenal cortical carcinomas,
thus making IRS1 phosphorylation and subsequent degradation an attractive therapeutic
target. To date there have been four subtypes identified: IRS1, 2, 3 and 4, with IRS1 being
widely expressed.

Synonyms: Insulin receptor substrate 1, IRS-1

Product images:



Western blot analysis of extracts from 293 cells treated with insulin (100nM, 30min) or PMA (0.2uM, 15min) using IRS-1 (pSer636) antibody (Lane 4, 5 and 6).



P-Peptide

Immunohistochemical analysis of paraffinembedded human breast carcinoma tissue, using IRS-1 antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US