

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AP02654PU-S

ASK1 (MAP3K5) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IF, IHC, WB
Recommended Dilution:	Western blot 1/500-1/1000. Immunofluorescence: 1/100-1/200. Immunohistochemistry on Paraffin-Embedded Sections: 1/50-1/100.
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	The antiserum was produced against synthesized non-phosphopeptide derived from human ASK1 around the phosphorylation site of Serine 83 (G-S-S <i>p</i> -V-G).
Specificity:	This antibody detects endogenous levels of ASK1 protein around Serine 83.
Formulation:	PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02% Sodium Azide and 50% Glycerol. State: Aff - Purified State: Liquid purified Ig fraction.
Concentration:	lot specific
Purification:	Affinity Chromatography using epitope-specific immunogen.
Conjugation:	Unconjugated
Storage:	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Gene Name:	mitogen-activated protein kinase kinase kinase 5
Database Link:	<u>Entrez Gene 4217 Human</u> <u>Q99683</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Section 2012 CRIGENE ASK1 (MAP3K5) Rabbit Polyclonal Antibody – AP02654PU-S

Background:Mitogen activated protein (MAP) kinase cascades are activated in response to various
extracellular stimuli including cytokines, growth factors and environmental stresses. A novel
MAP kinase kinase kinase (MAPKKK) was recently identified and designated ASK1 (for
apoptosis signal-regulating kinase 1). ASK1 activates two different subgroups of MAPKK,
MKK4 and MKK6, which in turn activate c-Jun N terminal kinase (JNK) and p38 MAP kinase,
respectively. ASK1 is activated by TNFR and Fas through the interaction with members of the
TRAF family and Fas associated protein Daxx. Overexpression of ASK1 induces apoptotic cell
death, and a catalytically inactive form of ASK1 inhibits TNF alpha-induced apoptosis. ASK1 is
expressed in variety of human and mouse tissues.

Synonyms: MAPK/ERK kinase kinase 5, MAPKKK5, MAP3K5

Product images:





Figure 2. Western blot analysis of extract from MDA-MB- 435 cells, using ASK1 antibody.



Peptide

Figure 1. Immunohistochemical analysis of paraffin- embedded human breast carcinoma tissue, using ASK1 antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US






Figure 3. Immunofluorescence staining of methanol-fixed HeLa cells using ASK1 antibody (Red).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US