

## Product datasheet for AP05166PU-N

## **SPHK1 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** ELISA, WB

Recommended Dilution: ELISA.

Western Blot: 1/400.

**Positive Control:** Madin-Darby Bovine Kidney (MDBK) cell lysate.

Reactivity: Bovine, Human, Mouse, Rat

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: Synthetic peptide derived from the C-terminal of Sphingosine Kinase 1

Specificity: This antibody reacts to SPHK1.

Formulation: Phosphate buffered saline with 0.08% sodium azide

State: Aff - Purified

State: Liquid purified Ig fraction

Concentration: lot specific

**Purification:** Ammonium Sulfate Precipitation

Conjugation: Unconjugated

Upon receipt, store undiluted (in aliquots) at -20°C. Storage:

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Database Link: Entrez Gene 8877 Human

Q9NYA1



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## SPHK1 Rabbit Polyclonal Antibody - AP05166PU-N

Background:

Sphingosine Kinase 1 (Sphk1) catalyzes the phosphorylation of sphingosine to sphingosine 1-phosphate (S1P), an important signaling molecule with intra- and extracellular functions. Inside the cell S1P acts as a signaling molecule like other sphingolipid metabolites like ceramide and sphingosine. S1P has been implicated in regulating cell differentiation, calcium mobilization from intracellular stores, and apoptosis. The cell surface receptors for S1P are the EDG family of G protein-coupled receptors (S1P Receptors). These receptors couple to multiple G proteins (e.g.S1P1 couples to Gi whereas S1P2 and S1P3 couple to Gq, G13 in addition to Gi) and regulate a extremely wide range of cellular events including cell motility, survival, apoptosis, migration and cell-cell interaction. Important roles for S1P have also been reported in regulation of cardiogenesis, vascular maturation, oocyte survival, immune cell trafficking, cells of the neuronal system and bone cells. S1P levels are regulated by the activity of Sphk (Sphk1 and Sphk2).

Synonyms:

SPHK, SPK, SPK 1, SPK-1