

Product datasheet for AP06029PU-N

Bcl-2-like 1 (Bcl-xL) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies ELISA, IHC, WB **Applications:** Recommended Dilution: Western blot: 1/500-1/1000. Immunohistochemistry on Paraffin sections: 1/50-1/200. **Reactivity:** Human, Mouse, Rat Host: Rabbit **Clonality:** Polyclonal Synthetic peptide, corresponding to amino acids 50-100 of Human Bcl-X. Immunogen: This antibody detects endogenous levels of Bcl-2-like 1 (Bcl-xL) protein (region surrounding Specificity: Ser56). Formulation: Phosphate buffered saline (PBS), pH 7.2 State: Aff - Purified State: Liquid purified lg fraction Preservative: 0.05% Sodium azide **Concentration:** 1.0 mg/ml **Purification:** Affinity chromatography using epitope-specific immunogen (> 95% pure by SDS-PAGE). **Conjugation:** Unconjugated Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage: Avoid repeated freezing and thawing. Stability: Shelf life: one year from despatch. Predicted Protein Size: ~26 kDa Gene Name: BCL2 like 1 Database Link: Entrez Gene 598 Human Q07817



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	Bcl-2-like 1 (Bcl-xL) Rabbit Polyclonal Antibody – AP06029PU-N
Background:	The protein encoded by this gene belongs to the Bcl2 protein family. Bcl2 family members
	form hetero or homodimers and act as anti or pro apoptotic regulators that are involved in a
	wide variety of cellular activities. The proteins encoded by this gene are located at the outer
	mitochondrial membrane, and have been shown to regulate outer mitochondrial membrane

channel (VDAC) opening. VDAC regulates mitochondrial membrane potential, and thus controls the production of reactive oxygen species and release of cytochrome C by mitochondria, both of which are the potent inducers of cell apoptosis. Two alternatively spliced transcript variants, which encode distinct isoforms, have been reported. The longer isoform acts as an apoptotic inhibitor and the shorter form acts as an apoptotic activator.

Synonyms: Bcl2-L-1, BCL2L1, BCL2L, BCLX, Bcl-x, bcl-xL, bcl-xS, Bcl-2-like protein 1

Product images:



Western blot (WB) analysis of BcI-X antibody (Cat.-No.: AP06029PU-N) at 1/500 dilution Lane 1:HepG2 cell lysate Lane 2:Raw264.7 cell

Immunohistochemical analysis in paraffinembedded human breast tissue using Bcl-2-like 1 (Bcl-xL) antibody (Cat.-No. AP06029PU-N).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US