

## Product datasheet for AP06099PU-M

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

### EU: info-de@origene.com CN: techsupport@origene.cn

# **EGFR Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

Immunohistochemistry on Paraffin sections: 1/50-1/200.

Immunofluorescence: 1/50-1/200.

Reactivity: Human, Mouse, Rat

**Host:** Rabbit

Clonality: Polyclonal

**Specificity:** This antibody detects endogenous levels of EGFR protein (region surrounding Glu687).

**Formulation:** Phosphate buffered saline (PBS), pH 7.2.

State: Aff - Purified

State: Liquid purified Ig fraction Preservative: 0.05% Sodium azide

**Concentration:** 1.0 mg/ml

**Purification:** Affinity chromatography using epitope-specific immunogen (> 95% pure by SDS-PAGE).

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: ~175 kDa

**Gene Name:** epidermal growth factor receptor

Database Link: Entrez Gene 1956 Human

P00533






### Background:

Protein kinases are enzymes that transfer a phosphate group from a phosphate donor onto an acceptor amino acid in a substrate protein. By this basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells, regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement and cell movement, apoptosis, and differentiation. The protein kinase family is one of the largest families of proteins in eukaryotes, classified in 8 major groups based on sequence comparison of their tyrosine (PTK) or serine/threonine (STK) kinase catalytic domains. Epidermal Growth factor receptor (EGFR) is the prototype member of the type 1 receptor tyrosine kinases. EGFR overexpression in tumors indicates poor prognosis and is observed in tumors of the head and neck, brain, bladder, stomach, breast, lung, endometrium, cervix, vulva, ovary, esophagus, stomach and in squamous cell carcinoma.


Synonyms:

Epidermal growth factor receptor, EGF Receptor, erbB-1, c-ErbB-1

## **Product images:**



Western blot (WB) analysis of EGFR antibody (Cat.-No.: [AP06099PU-N]) at 1/500 dilution Lane 1:MCF-7 cell lysate Lane 2:sp2/0 cell lysate Lane 3:PC12 cell lysate



Immunohistochemical analysis in paraffinembedded human breast carcinoma tissue using EGFR / ERBB1 antibody (Cat.-No. [AP06099PU-N]).