

Product datasheet for AP06210PU-N

LIM Kinase 1 (LIMK1) (+ LIMK2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies IHC, WB **Applications:** Recommended Dilution: Western blot: 1/500-1/1000. Immunohistochemistry on paraffin sections 1/50-1/200. **Reactivity:** Human, Mouse, Rat Host: Rabbit Polyclonal **Clonality:** Synthetic peptide, corresponding to amino acids 380-420 of Human LIMK1. Immunogen: This antibody detects endogenous levels of LIMK1/2 protein. Specificity: (region surrounding Asp402) Formulation: Phosphate buffered saline (PBS), pH 7.2. State: Aff - Purified State: Liquid purified lg fraction Preservative: 0.05% sodium azide **Concentration:** 1.0 mg/ml **Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE) **Conjugation:** Unconjugated Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. Stability: Shelf life: one year from despatch. **Predicted Protein Size:** ~ 72 kDa Gene Name: LIM domain kinase 1 Database Link: Entrez Gene 16885 MouseEntrez Gene 65172 RatEntrez Gene 3984 Human P53667




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	LIM Kinase 1 (LIMK1) (+ LIMK2) Rabbit Polyclonal Antibody – AP06210PU-N
Background:	Proteins containing LIM motifs are typically involved in cell fate determination and growth control. A family of proteins designated LIM kinases, including LIMK-1 and LIMK-2, has been identified. LIMK-1 has been shown to regulate the stabilization of F-Actin structures and cofilin activity, indicating that LIMK-1 plays a role in a signaling pathway involved in the regulation of cell motility and morphogenesis. LIMK-1 inhibits neuronal differentiation of PC12 cells, and is thought to act by interfering with events downstream of MAPK activation. Expression patterns of LIMK-1 and LIMK-2 suggest that these proteins may have different functions during development. A truncated form of LIMK-2 has been identified in adult testis that is thought to arise from an alternative initiation exon.
Synonyms:	LIMK, LIM domain kinase 1, LIMK-1, EC=2.7.11.1
Protein Families	: Druggable Genome, Protein Kinase
Protein Pathway	/s: Axon guidance, Fc gamma R-mediated phagocytosis, Regulation of actin cytoskeleton

Product images:



Western blot (WB) analysis of LIMK1/2 antibody in extracts from COS7 cells.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry (IHC) analyzes of LIMK1/2 antibody in paraffin-embedded human breast carcinoma tissue.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US