

# Product datasheet for AP06220PU-M

# **MEF2A Rabbit Polyclonal Antibody**

# **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC
Recommended Dilution:	Immunohistochemistry on paraffin sections: 1/50-1/200.
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Synthetic peptide, corresponding to amino acids 300-350 of Human MEF-2.
Specificity:	This antibody detects endogenous levels of MEF2A protein. (region surrounding Pro313)
Formulation:	Phosphate buffered saline (PBS), pH 7.2. State: Aff - Purified State: Liquid purified Ig fraction Preservative: 0.05% sodium azide
Concentration:	1.0 mg/ml
Purification:	Affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS- PAGE)
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	~ 55 kDa
Gene Name:	myocyte enhancer factor 2A
Database Link:	<u>Entrez Gene 4205 Human</u> <u>Q02078</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **MEF2A** Rabbit Polyclonal Antibody – AP06220PU-M

Background:The myocyte enhancer factor-2 (MEF-2) family of transcription factors associated with co-<br/>repessors or co-activators to regulate development and function of T cells, neuronal cells and<br/>muscle cells. Four family members arise from alternatively spliced transcripts, termed MEF-<br/>2A, -2B, -2C and -2D. These members bind as homo- and heterodimers to the MEF-2 site in<br/>the promoter region of affected genes. Differential regulation in the expression of the four<br/>transcripts implies functional distinction for each during embryogenesis and development.<br/>The process of differentiation from mesodermal precursor cells to myoblasts has led to the<br/>discovery of a variety of tissue-specific factors that regulate muscle gene expression. The<br/>myogenic basic helix-loop-helix proteins, including MyoD, myogenin, Myf-5 and MRF-4, are<br/>one class of identified factors. A second family of DNA binding regulatory proteins is the<br/>myocyte-specific enhancer factor-2 (MEF-2) family. Each of these proteins binds to the MEF-2<br/>target DNA sequence present in the regulatory regions of many muscle-specific genes.

Synonyms: MEF2, Myocyte-specific enhancer factor 2A

## **Product images:**



Immunohistochemistry (IHC) analyzes of MEF2A antibody in paraffin-embedded human breast carcinoma tissue.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US