

## Product datasheet for AP06335PU-M

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

### **SYK Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

**Immunohistochemistry on paraffin sections:** 1/50-1/200.

Reactivity: Human
Host: Rabbit

Clonality: Polyclonal

**Immunogen:** Synthetic peptide, corresponding to amino acids 150-200 of Human Syk.

**Specificity:** This antibody detects endogenous levels of SYK protein.

(region surrounding Phe169)

**Formulation:** Phosphate buffered saline (PBS), pH 7.2.

State: Aff - Purified

State: Liquid purified lg fraction Preservative: 0.05% sodium azide

**Concentration:** 1.0 mg/ml

**Purification:** Affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-

PAGE)

Conjugation: Unconjugated

**Storage:** Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: ~ 72 kDa

**Gene Name:** spleen tyrosine kinase

Database Link: Entrez Gene 6850 Human

P43405




#### Background:

Syk (spleen tyrosine kinase) is a 635 amino acid protein that contains one protein kinase domain and two SH2 domains. One of several members of the protein kinase superfamily, Syk functions as a positive effector of B cell antigen receptor (CD79)-stimulated responses, coupling CD79 with the movement of one calcium ion through one of two phospho-regulated pathways. Via its ability to influence CD79 activity and to control the movement of calicum through the cell, Syk plays an important role in a variety of cellular responses, including differentiation, phagocytosis, proliferation and B cell development. Syk expression is upregulated in T cell lymphoma, suggesting a possible role for Syk in tumorigenesis. Two isoforms of Syk, designated short and long, exist due to alternative splicing events.


Synonyms:

Tyrosine-protein kinase SYK, Spleen tyrosine kinase

# **Product images:**



Western blot (WB) analysis of SYK antibody in extracts from HepG2 cells.



Immunohistochemistry (IHC) analyzes of SYK antibody in paraffin-embedded human prostate carcinoma tissue.