

Product datasheet for AP06447PU-M

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

EDD (UBR5) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

Immunohistochemistry on paraffin sections: 1/50-1/200.

Reactivity: Human, Mouse

Host: Rabbit

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 1-50 of Human HYD.

Specificity: This antibody detects endogenous levels of EDD protein.

(region surrounding Thr14)

Formulation: Phosphate buffered saline (PBS), pH 7.2 with 50% Glycerol.

State: Aff - Purified

State: Liquid purified Ig fraction Preservative: 0.02% Sodium Azide

Concentration: 1.0 mg/ml

Purification: Affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-

PAGE)

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: ~ 309 kDa

Gene Name: ubiquitin protein ligase E3 component n-recognin 5

Database Link: Entrez Gene 70790 MouseEntrez Gene 51366 Human

O95071



Background:


EDD (for E3 identified by Differential Display) is a progestin-regulated gene that was isolated from T-47D human breast cancer cells. Based on sequence homology, EDD appears to be a human homolog of the Drosophila hyperplastic discs (hyd) gene, a tumor suppressor gene that is required for control of imaginal disc growth (2). EDD contains a HECT domain in the carboxy terminus. HECT domain-containing proteins function as ubiquitin-protein ligases, or E3 enzymes. EDD has been shown to bind to ubiquitin, and like other HECT family proteins, may function as an E3 ubiquitin-protein ligase.

Synonyms: EDD, EDD1, KIAA0896


Protein Families: Druggable Genome

Protein Pathways: Ubiquitin mediated proteolysis

Product images:



Western blot (WB) analysis of EDD antibody in extracts from A549 cells.



Immunohistochemistry (IHC) analyzes of EDD antibody in paraffin-embedded human breast carcinoma tissue.