

Product datasheet for AP06558PU-S

PDE4D Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Western blot: 1/500-1/1000. Immunohistochemistry on paraffin sections: 1/50-1/200.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	Synthetic peptide, corresponding to amino acids 30-70 Human PDE4D.
Specificity:	Thhis antibody detects endogenous levels of PDE4D protein. (region surrounding His47)
Formulation:	Phosphate buffered saline (PBS), pH 7.2. State: Aff - Purified State: Liquid purified Ig fraction Preservative: 15 mM sodium azide
Concentration:	1.0 mg/ml
Purification:	Affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS- PAGE)
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	~ 88 kDa
Gene Name:	phosphodiesterase 4D
Database Link:	<u>Entrez Gene 5144 Human</u> <u>Q08499</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

PDE4D Rabbit Polyclonal Antibody – AP06558PU-S


Background:Phosphodiesterases (PDE) hydrolyze cAMP to 5'AMP and thus play a critical role in the
regulation of intracellular cAMP. Division of the PDE superfamily by sequence homology and
enzymatic properties yields 11 PDE families. A unique upstream conserved region (UCR)
characterizes the PDE4 family. Four separate genes (A-D) encode the PDE4 enzymes, and
alternative splicing generates short or long isoforms of each gene. Long PDE4 isoforms
contain both UCR1 and UCR2 while short PDE4 isoforms. The human PDE4D gene maps to
chromosome 5q12. The splice variants include isoforms PDE4D1-6.

Synonyms: PDE4D, DPDE3, cAMP-specific 3',5'-cyclic phosphodiesterase 4D, EC=3.1.4.17, DPDE3, PDE43

Product images:



Western blot analysis of PDE4D antibody in extracts from COS7 cells treated with Nocodazole 1 ug/ml 16 h.



Immunohistochemistry analysis of PDE4D antibody in paraffin-embedded human colon carcinoma tissue.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US