

# Product datasheet for AP06621PU-M

## **BID Rabbit Polyclonal Antibody**

## **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies	
Applications:	IHC, WB	
Recommended Dilution:	Western blot: 1/500-1/1000. Immunohistochemistry on Paraffin Sections: 1/50-1/200.	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Immunogen:	Synthetic peptide, corresponding to amino acids 50-100 of Human BID.	
Specificity:	This antibody detects endogenous levels of BID protein. (region surrounding lle72)	
Formulation:	Phosphate buffered saline (PBS), pH~7.2 State: Aff - Purified State: Liquid purified Ig fraction (> 95% pure by SDS-PAGE) Preservative: 0.05% Sodium Azide	
Concentration:	1.0 mg/ml	
Purification:	Affinity Chromatography using epitope-specific immunogen	
Conjugation:	Unconjugated	
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.	
Stability:	Shelf life: one year from despatch.	
Predicted Protein Size:	~22 kDa	
Gene Name:	BH3 interacting domain death agonist	
Database Link:	<u>Entrez Gene 637 Human</u> <u>P55957</u>	




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **GRIGENE** BID Rabbit Polyclonal Antibody – AP06621PU-M

Background:Bid, a BH3 domain containing proapoptotic Bcl2 family member, is localized in the cytosolic<br/>fraction of cells as an inactive precursor. Its active form is generated upon proteolytic<br/>cleavage by caspase 8 in the Fas signaling pathway. Cleaved Bid translocates to mitochondria<br/>and releases its potent proapoptotic activity, which in turn induces cytochrome c release and<br/>mitochondrial damage. The cytochrome c releasing activity of Bid was antagonized by Bcl2.<br/>Mutation in the SH3 domain can diminish the cytochrome c releasing activity. In animal<br/>model studies, Bid deficient mice are found resistant to the lethal effects of death factor<br/>signals relayed through Fas.

Synonyms:	p22 BID

## **Product images:**



Western blot (WB) analysis of BID antibody at 1/500 dilution Lane 1:MCF-7 cell lysate Lane 2:NIH-3T3 cell lysate Lane 3:H9C2 cell lysate



Immunohistochemistry analysis of BID Antibody in paraffin-embedded human brain tissue.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US