

Product datasheet for AP06765PU-S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

14-3-3 beta (YWHAB) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IF, IHC, WB

Recommended Dilution: Western blot: 1/500-1/200.

Immunofluorescence: 1/50-1/200.

Immunohistochemistry on Paraffin Sections: 1/50-1/200.

Reactivity: Human, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to amino acids 40-90 of Human 14-3-3 β.

Specificity: This antibody detects endogenous levels of 14-3-3 beta protein.

(region surrounding Gln69)

Formulation: Phosphate Buffered Saline (PBS), pH~7.2

State: Aff - Purified

State: Liquid purified Ig fraction is (> 95% pure by SDS-PAGE).

Preservative: 0.05% Sodium Azide

Concentration: 1.0 mg/ml

Purification: Affinity Chromatography using epitope-specific immunogen.

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: ~28 kDa

Gene Name: tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein beta

Database Link: Entrez Gene 7529 Human

P31946






Background:

14-3-3 proteins regulate many cellular processes relevant to cancer biology, notably apoptosis, mitogenic signaling and cell-cycle checkpoints. Seven isoforms comprise this family of signaling intermediates, denoted 14-3-3 β , γ , ϵ , ζ , η , θ and σ . 14-3-3 proteins form dimers that present two binding sites for ligand proteins, thereby bringing together two proteins that may not otherwise associate. These ligands largely share a 14-3-3 consensus binding motif and exhibit serine/threonine phosphorylation. 14-3-3 proteins function in broad regulation of these ligand proteins, by cytoplasmic sequestration, occupation of interaction domains and import/export sequences, prevention of degradation, activation/repression of enzymatic activity and facilitation of protein modification, and thus loss of expression contributes to a vast array of pathogenic cellular activities.


Synonyms:

YWHAB, KCIP-1, Protein 1054

Product images:



Western blot (WB) analysis of 14-3-3 β antibody at 1/500 dilution: Lane 1:Hela cell lysate Lane 2:SP2/0 cell lysate Lane 3:PC12 cell lysate



Immunohistochemistry (IHC) analyzes of 14-3-3 beta antibody in paraffin-embedded human brain tissue.