

Product datasheet for AP06774PU-M

Cytochrome P450 2A6 (CYP2A6) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies Applications: IF, WB Recommended Dilution: Western blot: 1/500-1/1000. Immunofluorescence: 1/50-1/200. **Reactivity:** Human Host: Rabbit **Clonality:** Polyclonal Synthetic peptide, corresponding to amino acids 101-150 of Human CYP2A6. Immunogen: This antibody detects endogenous levels of CYP2A6 protein. Specificity: (region surrounding Glu131) Formulation: Phosphate buffered saline (PBS), pH 7.2. State: Aff - Purified State: Liquid purified lg fraction Preservative: 0.05% sodium azide **Concentration:** 1.0 mg/ml **Purification:** Affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE) **Conjugation:** Unconjugated Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. Stability: Shelf life: one year from despatch. **Predicted Protein Size:** ~ 56 kDa Gene Name: cytochrome P450 family 2 subfamily A member 6 Database Link: Entrez Gene 1548 Human <u>P11509</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	Cytochrome P450 2A6 (CYP2A6) Rabbit Polyclonal Antibody – AP06774PU-M
Background:	The immunosuppressant cyclosporin A (CsA) forms a trimolecular complex with cyclophilin and calcineurins to inhibit calcineurin phosphatase activity.Cyclophilins are conserved, ubiquitous and abundant cytosolic peptidyl-prolyl is-trans isomerases that accelerate the isomerization of XaaPro peptide bonds and the refolding of proteins. Human cyclophilin A (CyPA), an intracellular protein of 165 amino acids, is the target of the CsA and is encoded by a single unique gene conserved from yeast to humans. CyPA is involved in T cell differentiation and proliferation and is highly expressed in brain. CyPA is incorporated into the virion of the type 1 human immunodeficiency virus (HIV-1) via a direct interaction with the capsid domain of the viral Gag polyprotein and is crucial for efficient viral replication.
Synonyms:	CYP2A3,Cytochrome P450 2A6, CYPIIA6, CYPIIA3
Protein Families:	Druggable Genome, P450, Transmembrane
Protein Pathway	s: Caffeine metabolism, Drug metabolism - cytochrome P450, Drug metabolism - other enzymes, Metabolic pathways, Retinol metabolism

Product images:



Western blot (WB) analyzes of CYP2A6 antibody in extracts from Jurkat cells.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US