

# Product datasheet for AP08101PU-N

## **CDK6 Rabbit Polyclonal Antibody**

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Draduct Type:	Drimon (Antihodias
Product Type:	Primary Antibodies
Applications:	IF, IHC
Recommended Dilution:	Immunofluorescence: 1/100~1/200. Immunohistochemistry on Paraffin-Embedded Sections: 1/50~1/100.
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	The antiserum was produced against synthesized non-phosphopeptide derived from human CDK6 around the phosphorylation site of Tyrosine 13 (Q-Q-Y <i>p</i> -E-C).
Specificity:	This antibody detects endogenous levels of total CDK6 protein.
Formulation:	PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02% Sodium Azide and 50% Glycerol. State: Aff - Purified State: Liquid purified Ig fraction.
Concentration:	lot specific
Purification:	Immunoaffinity Chromatography using epitope-specific immunogen.
Conjugation:	Unconjugated
Storage:	Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
Gene Name:	cyclin-dependent kinase 6
Database Link:	<u>Entrez Gene 1021 Human</u> <u>Q00534</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **CDK6** Rabbit Polyclonal Antibody – AP08101PU-N

Background:Cdk6 is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members<br/>are highly similar to the gene products of Saccharomyces cerevisiae cdc28, and<br/>Schizosaccharomyces pombe cdc2, and are known to be important regulators of cell cycle<br/>progression. This kinase is a catalytic subunit of the protein kinase complex that is important<br/>for cell cycle G1 phase progression and G1/S transition. The activity of Cdk6 first appears in<br/>mid-G1 phase, and is controlled by regulatory subunits including D-type cyclins and members<br/>of INK4 family of CDK inhibitors. This kinase, as well as CDK4, has been shown to<br/>phosphorylate, and thus regulate the activity of, tumor suppressor protein Rb.

Synonyms: PLSTIRE

#### **Product images:**




Figure 1. Immunohistochemical analysis of paraffin-embedded human colon carcinoma tissue using CDK6 Antibody.

Peptide




Figure 2. Immunofluorescence staining of methanol-fixed HeLa cells using CDK6 antibody (Red).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US