

Product datasheet for AP09214TC-N

Biotin Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	FC, IF
Recommended Dilution:	Immunofluorescence: 1/500 - 1/2,500. Flow Cytometry: 1/2,000 - 1/10,000.
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Biotin conjugated to Keyhole Limpet Hemocyanin (b-KLH)
Specificity:	This antibody reacts to Biotin.
Formulation:	 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 containing 10 mg/ml BSA as stabilizer and 0.01% (w/v) Sodium Azide as preservative Label: Rhodamine State: Lyophilized Label: Tetramethylrhodamine isothiocyanante (TRITC) (Molecular Weight 444 daltons) Absorption emission: 550 nm / 570 nm Molar radio: 5.0 moles TRITC per mole of Goat IgG
Reconstitution Method:	Restore with 1.0 ml of deionized water (or equivalent).
Concentration:	lot specific
Purification:	Affinity chromatography
Conjugation:	Rhodamine
Storage:	Prior to reconstitution store at 2-8°C. Following reconstitution store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE Biotin Rabbit Polyclonal Antibody – AP09214TC-N

Background:Epitope tags are short peptide sequences that are easily recognized by tag-specific
antibodies. Due to their small size, epitope tags do not affect the tagged protein's biochemical
properties. Most often sequences encoding the epitope tag are included with target DNA at
the time of cloning to produce fusion proteins containing the epitope tag sequence. This
allows anti-epitope tag antibodies to serve as universal detection reagents for any tag
containing protein produced by recombinant means. This means that anti-epitope tag
antibodies are a useful alternative to generating specific antibodies to identify,
immunoprecipitate or immunoaffinity purify a recombinant protein. The anti-epitope tag
antibody is usually functional in a variety of antibody-dependent experimental procedures.
Expression vectors producing epitope tag fusion proteins are available for a variety of host
expression systems including bacteria, yeast, insect and mammalian cells. Rockland
Immunochemicals produces anti-epitope tag antibodies against many common epitope tags
including Myc, GST, GFP, 6X His, MBP, FLAG and HA. Rockland Immunochemicals also
produces antibodies to other tags including FITC, Rhodamine (TRITC), DNP and biotin.

Synonyms:

Vitamin B7, Vitamin H

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US