

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AP09651PU-N

17-beta-Testosterone Sheep Polyclonal Antibody

Product data:

| Product Type: | Primary Antibodies |
|-----------------------|--|
| Applications: | ELISA |
| Recommended Dilution: | ELISA: 10.0µg/ml. |
| Host: | Sheep |
| lsotype: | lgG |
| Clonality: | Polyclonal |
| Immunogen: | Testosterone (3)-BSA |
| Specificity: | This antibody reacts to 17beta-Testosterone. |
| Formulation: | 20mM Phosphate, 150mM Sodium Chloride, pH 7.2 containing 0.09% Sodium Azide as preservative State: Ig Fraction State: Liquid Ig fraction prepared by Caprylic Acid and Ammonium Sulphate precipitation procedures |
| Concentration: | lot specific |
| Conjugation: | Unconjugated |
| Storage: | Store the antibody at -20°C. Avoid repeated freezing and thawing. |
| Stability: | Shelf life: one year from despatch. |
| Background: | Testosterone is the principal androgen, or male sex hormone. One of the group of compounds known as anabolic steroids, testosterone is secreted by the testes but is also synthesized in small quantities in the ovaries, cortices of the adrenal glands, and placenta, usually from cholesterol. Testosterone has a hydroxyl group at the C17 position which can be esterified, or altered by the substitution of an acid or other groups. Oxidation of the 17-b-OH to a 17-keto group, or conversion to a 17 a-OH, results in steroids with significantly decreased androgen activity. |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US