

# Product datasheet for AP12190PU-N

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## **ZMPSTE24 (Center) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: ELISA: 1/1,000.

Western Blot: 1/100-1/500. (See Ref.1) Immunohistochemistry: 1/50-1/100.

Reactivity: Human, Mouse

**Host:** Rabbit

**Isotype:** lg

Clonality: Polyclonal

**Immunogen:** This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide

selected from the center region of human ZMPSTE24.

**Specificity:** This antibody is specific to ZMPSTE24 (Center).

**Formulation:** PBS with 0.09% (W/V) Sodium Azide as preservative.

State: Purified

State: Liquid purified Ig fraction.

**Concentration:** lot specific

**Purification:** Protein G Chromatography, eluted with high and low pH buffers and neutralized

immediately, followed by dialysis against PBS.

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** zinc metallopeptidase STE24

Database Link: Entrez Gene 10269 Human

<u>075844</u>





#### ZMPSTE24 (Center) Rabbit Polyclonal Antibody - AP12190PU-N

**Background:** ZMPSTE24 is a zinc metalloprotease similar to yeast Ste24p. It is an integral membrane


protein belonging to peptidase family M48 and is found in the endoplasmic reticulum and possibly in the Golgi compartment. It is thought to be involved in the proteolytic processing

of farnesylated proteins.


Synonyms: FACE1, FACE-1, STE24

**Note: Predicted Molecular weight:** 54813 Da

## **Product images:**



Western Blot analysis usning anti-ZMPSTE24 (Center) Pab to detect ZMPSTE24 in mouse cerebellum tissue lysate.



Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.