

## **Product datasheet for AP13130PU-N**

## Product datasneet for AP 13 130PO-N

## MAGEA3 (C-term) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: ELISA: 1/1,000.

Western blotting: 1/100 - 1/500.

Reactivity: Human
Host: Rabbit

Isotype: lg

**Clonality:** Polyclonal

Immunogen: This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide

selected from the C-terminal region of human MAGEA3.

**Specificity:** This antibody reacts to MAGEA3.

**Formulation:** PBS with 0.09% (W/V) sodium azide

State: Purified

State: Liquid purified Ig

**Concentration:** lot specific

**Purification:** Protein G column, eluted with high and low pH buffers and neutralized immediately, followed

by dialysis against PBS

Conjugation: Unconjugated

**Storage:** Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

Gene Name: MAGE family member A3

Database Link: Entrez Gene 4102 Human

P43357



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

MAGEA3 is a member of the MAGEA gene family. The members of this family have their entire coding sequences located in the last exon, and the encoded proteins show 50 to 80% sequence identity between each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are expressed at a high level in a number of tumors of various histologic types, and are silent in normal tissues with the exception of testis and placenta. The MAGEA genes are clustered on chromosome Xq28. They may be implicated in some hereditary disorders, such as dyskeratosis congenita.

Synonyms:

MAGE 3, MAGEA3, MAGE3, Melanoma-associated antigen 3

## **Product images:**



The anti-MAGEA3 C-term Antibody is used in Western blot to detect MAGEA3 in Jurkat lysate.