

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for AP14057PU-N

Apolipoprotein A I (APOA1) (N-term) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	ELISA: 1/1,000. Western blotting: 1/50 - 1/100. Immunohistochemistry: 1/10 - 1/50.
Reactivity:	Human
Host:	Rabbit
lsotype:	lg
Clonality:	Polyclonal
Immunogen:	This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide selected from the N-terminal region of human APOA1.
Specificity:	This antibody reacts to APOA1.
Formulation:	PBS with 0.09% (W/V) sodium azide State: Purified State: Liquid purified Ig
Concentration:	lot specific
Purification:	Prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	apolipoprotein A1
Database Link:	<u>Entrez Gene 335 Human</u> <u>P02647</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Serigene Apolipoprotein A I (APOA1) (N-term) Rabbit Polyclonal Antibody – AP14057PU-N

Background:Apolipoprotein A-I, is the major protein component of high density lipoprotein (HDL) in
plasma. APOA1 promotes cholesterol efflux from tissues to the liver for excretion, and it is a
cofactor for lecithin cholesterolacyltransferase (LCAT) which is responsible for the formation
of most plasma cholesteryl esters. Defects in the APOA1 gene are associated with HDL
deficiencies, including Tangier disease, and with systemic non-neuropathic amyloidosis.


APOA1, ApoA-I, Apo-AI, ApoAI

Product images:

Synonyms:

HepG2 130 95 -72 55 -36 28 - ◀ 17

Western blot analysis of anti-rified Pab.



Formalin-fixed and paraffin-embedded human hepatocarcinoma tissue reacted with APOA1 antibody (N-term), which was peroxidaseconjugated to the secondary antibody, followed by DAB staining.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US