

#### Product datasheet for AP14966PU-N

# OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### PIP5K2 alpha (PIP4K2A) (N-term) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: ELISA: 1/1,000.

Western blotting: 1/100 - 1/500.

Immunohistochemistry: 1/50 - 1/100.

Reactivity: Human, Mouse

**Host:** Rabbit

**Isotype:** lg

Clonality: Polyclonal

**Immunogen:** This antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide

selected from the N-terminal region of human PIP5K2A.

**Specificity:** This antibody reacts to PIP5K2 alpha. **Formulation:** PBS with 0.09% (W/V) sodium azide

PB3 WILLI 0.03% (W/V) SOUIUITI

State: Purified

State: Purified polyclonal antibody supplied in . This antibody is purified through a

**Concentration:** lot specific

**Purification:** Protein G column, eluted with high and low pH buffers and neutralized immediately, followed

by dialysis against PBS

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** phosphatidylinositol-5-phosphate 4-kinase type 2 alpha

Database Link: Entrez Gene 5305 Human

P48426






#### Background:

Phosphatidylinositol-4,5-bisphosphate, the precursor to second messengers of the phosphoinositide signal transduction pathways, is thought to be involved in the regulation of secretion, cell proliferation, differentiation, and motility. TPIP5K2A is one of a family of enzymes capable of catalyzing the phosphorylation of phosphatidylinositol-4-phosphate on the fifth hydroxyl of the myo-inositol ring to form phosphatidylinositol-4,5-bisphosphate. The amino acid sequence of this enzyme does not show homology to other kinases, but the recombinant protein does exhibit kinase activity. The protein is a member of the phosphatidylinositol-4-phosphate 5-kinase family.


Synonyms:

PIP4KII-alpha, PIP5K2, PIP5KIII, Diphosphoinositide kinase 2-alpha, PtdIns(4)P-5-kinase B isoform, PtdIns(4)P-5-kinase C isoform, PtdIns(5)P-4-kinase isoform 2-alpha

## **Product images:**



The anti-PIP5K2A Pab is used in Western blot to detect PIP5K2A in mouse skeletal muscle tissue lysate.



Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining.