

Product datasheet for AP15252PU-N

PTP4A3 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	lg
Clonality:	Polyclonal
Immunogen:	This antibody is generated from rabbits immunized with a recombinant protein encoding full length of human PRL3.
Specificity:	This antibody reacts to PRL3 / PTP4A3.
Formulation:	PBS with 0.09% (W/V) sodium azide State: Purified State: Liquid purified lg fraction
Concentration:	lot specific
Purification:	Protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS
Conjugation:	Unconjugated
Storage:	Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	protein tyrosine phosphatase type IVA, member 3
Database Link:	<u>Entrez Gene 11156 Human</u> <u>O75365</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE PTP4A3 Rabbit Polyclonal Antibody – AP15252PU-N

Background:The protein encoded by the PTP4A3 gene belongs to a small class of prenylated protein
tyrosine phosphatases (PTPs). PTPs are cell signaling molecules that play regulatory roles in a
variety of cellular processes. This class of PTPs contain a PTP domain and a characteristic C-
terminal prenylation motif. Studies of this class of PTPs in mice demonstrated that they were
prenylated proteins in vivo, which suggested their association with cell plasma membrane.
Overexpression of this gene in mammalian cells was reported to inhibit angiotensin-II
induced cell calcium mobilization and promote cell growth. Two alternatively spliced variants
exist. PRL-3 expression was found to be up-regulated in human liver carcinoma compared
with normal liver. Its expression in colorectal cancers may contribute to the establishment of
liver metastasis. In a different study, PRL-3 is found to be expressed in tumor metastasis and
vasculature, regardless of the tumor source.

Synonyms:

PRL-3, PRL-R

Product images:



Western blot analysis of PRL3 (arrow) in mouse heart tissue lysates (35ug/lane) using PRL3 / PTP4A3 antibody.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US