

Product datasheet for AP20102AF-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ADH1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, ID, IF, IP, R, WB

Recommended Dilution: This product is intended for use in precipitating and non-precipitating antibody-binding

assays such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical

techniques (1/1,000-1/40,000).

Reactivity: Bakers Yeast

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Alcohol dehydrogenase isolated and purified from Baker's Yeast.

Freund's complete adjuvant is used in the first step of the immunization procedure.

Specificity: The reagents were evaluated for potency, purity and specificity using most or all of the

following techniques: Immunoelectrophoresis, Cross-Immunoelectrophoresis, single Radial

Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and Enzyme

Inhibition.

Cross-reactivities against enzymes of other sources may occur but have not been

determined.

Recognizes Alcohol Dehydrogenase.

Formulation: PBS, pH 7.2 without preservatives and foreign proteins.

State: Azide Free

State: Lyophilized IgG fraction.

Reconstitution Method: Restore by adding 1.0 ml of sterile distilled water.

Concentration: lot specific

Purification: Ammonium Sulphate Precipitation and Ion Exchange Chromatography.

Conjugation: Unconjugated

Storage: Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in aliquots)

at -20°C for longer.

If a slight precipitation occurs upon storage, this should be removed by centrifugation.

Stability: Shelf life: one year from despatch.





ADH1 Rabbit Polyclonal Antibody - AP20102AF-N

Database Link: P00330

Background: ADH (alcohol dehydrogenase) family of proteins metabolize a variety of substances such as

ethanol, retinal, other aliphatic alcohol, hydroxysteroids, and lipid peroxidation products. With the coenzyme NAD, ADH catalyzes the reversible conversion of organic alcohol to

ketones or aldehydes. ADH play a major role in ethanol metabolism.

Synonyms: Alcohol dehydrogenase I, YADH-1, ADH1, ADC1, YOL086C, O0947