

Product datasheet for AP20249PU-M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL2 Receptor beta (IL2RB) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

Immunohistochemistry on paraffin sections: 1/50-1/200.

Reactivity: Human, Mouse, Rat

Host: Rabbit
Clonality: Polyclonal

Specificity: This antibody detects endogenous levels of IL-2Rβ protein.

Formulation: Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.2

State: Aff - Purified

State: Liquid purified Ig fraction

Concentration: 1.0 mg/ml

Purification: Affinity-chromatography using epitope-specific immunogen; purity is > 95% (by SDS-PAGE)

Conjugation: Unconjugated

Storage: Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: ~ 60 kDa

Gene Name: interleukin 2 receptor subunit beta

Database Link: Entrez Gene 16185 MouseEntrez Gene 25746 RatEntrez Gene 3560 Human

P14784

Background: The Interleukin 2 Receptor alpha and beta chains, together with the common gamma chain,

constitute the high affinity IL2 receptor present on activated T and B cells, thymocyte subset, pre B cells and T regulatory cells. Homodimeric alpha chains result in low affinity receptor, while homodimeric beta chains produce a medium affinity receptor. Normally an integral membrane protein, soluble IL2 Receptor alpha has been isolated and determined to result from extracellular proteolysis. Alternately spliced IL2 Receptor alpha mRNAs have been

isolated, but the significance of each is presently unknown.






Synonyms: Interleukin-2 receptor subunit beta, IL-2 receptor subunit beta, IL2 Receptor beta, P70-75


Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Cytokine-cytokine receptor interaction, Endocytosis, Jak-STAT signaling pathway

Product images:



Western blot (WB) analysis of IL-2R β antibody (Cat.-No.: [AP20249PU-N]) in extracts from PC12 cells.



Immunohistochemistry analyzes of IL-2R β antibody ([AP20249PU-N]) in paraffin-embedded human lung carcinoma tissue.