

Product datasheet for AP20253PU-N

Eg5 (KIF11) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

Immunohistochemistry on paraffin sections: 1/50-1/200.

Immunoflourescence: 1/50-1/200.

Reactivity: Human Host: Rabbit

Clonality: Polyclonal

Specificity: This antibody detects endogenous levels of Eg5 protein.

Formulation: Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2

State: Aff - Purified

State: Liquid purified Ig fraction

Concentration: 1.0 mg/ml

Purification: Affinity-chromatography using epitope-specific immunogen; purity is > 95% (by SDS-PAGE)

Conjugation: Unconjugated

Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage:

Avoid repeated freezing and thawing.

Shelf life: one year from despatch. Stability:

Predicted Protein Size: ~ 119 kDa

Gene Name: kinesin family member 11 **Database Link:** Entrez Gene 3832 Human

P52732



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

Eukaryotes contain a superfamily of microtubule-based motor proteins comprising Kinesin and a number of related proteins that are thought to participate in various forms of intracellular motility, including cell division and organelle transport. Eg5 (also known as Kinesin-like protein KIF11 or TRIP5) is a slow, plus-end-directed microtubule-based motor of the BimC kinesin family that is essential for bipolar spindle formation during eukaryotic cell division. When the expression of Eg5 is blocked, centrosome migration halts and cells are arrested in mitosis with monoastral microtubule arrays. Eg5 is phosphorylated on serine during S phase and on both serine and Thr 927 during mitosis, which regulates the association of Eg5 with the spindle apparatus (probably during early prophase). Eg5 is also known to be a member of the thyroid receptor interacting protein (TRIP) family, and interacts with the thyroid hormone receptor only in the presence of thyroid hormone.


Synonyms:

KIF11, EG5, KNSL1, TRIP5, Kinesin-like protein KIF11, Kinesin-related motor protein Eg5, Kinesin-like spindle protein HKSP, Thyroid receptor-interacting protein 5, TRIP-5, Kinesin-like protein 1


Protein Families:

Druggable Genome

Product images:



Western blot analysis of Eg5 antibody (AP20253PU-N) in extracts from COLO205 cells.



Immunohistochemistry analyzes of Eg5 antibody (AP20253PU-N) in paraffin-embedded human lung carcinoma tissue.