

# Product datasheet for AP20442PU-M

## **CBFB** Rabbit Polyclonal Antibody

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IF, IHC, WB
Recommended Dilution:	Western blot: 1/500 - 1/1000. Immunohistochemistry on paraffin sections: 1/50 - 1/200. Immunofluorescence: 1/50 - 1/200.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Specificity:	This antibody detects endogenous levels of PEBP2beta protein. (region surrounding Arg33)
Formulation:	Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2. State: Aff - Purified State: Liquid purified Ig fraction
Concentration:	1.0 mg/ml
Purification:	Affinity chromatography (> 95% (by SDS-PAGE)
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	~ 22 kDa
Gene Name:	core-binding factor, beta subunit
Database Link:	<u>Entrez Gene 12400 MouseEntrez Gene 361391 RatEntrez Gene 865 Human</u> <u>Q13951</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### **GRIGENE** CBFB Rabbit Polyclonal Antibody – AP20442PU-M


Background:The transcription factor Polyomavirus enhancer binding protein 2 (PEBP2), also designated<br/>Osf2 (Osteoblast-specific transcription factor), CBFA1 (Core Binding Factor) and AML3 (Acute<br/>myeloid leukemia), is composed of two subunits, alpha and beta, which are essential for the<br/>regulation of hematopoiesis and osteogenesis. The PEBP2alpha subunits, PEBP2alphaA,<br/>PEBP2alphaB and PEBP2alphaC, are encoded by three RUNX genes, all of which contain a<br/>128-amino acid region homologous to the highly conserved Drosophila segmentation gene,<br/>runt. This region is involved in DNA binding and heterodimerization with the regulatory beta<br/>subunit, which facilitates DNA binding of the alpha subunit. Both subunits are required for in<br/>vivo function; the disruption of either gene results in a lack of definitive hematopoiesis<br/>followed by embryo death in utero due to hemorrhage in the central nervous system. The<br/>gene encoding PEBP2beta is the target of chromosomal inversion 16 (p13;q22) with the<br/>smooth muscle myosin heavy chain, producing a chimeric gene, PEBP2beta/CBFbeta-SMMHC,<br/>that is associated with human acute myeloid leukemia.


Synonyms:Core-binding factor beta, CBF-beta, CBF beta, PEBP2-beta, PEA2-betaProtein Families:Druggable Genome, Transcription Factors

#### **Product images:**



Western blot (WB) analysis of PEBP2beta antibody (Cat.-No.: AP202442PU-N) in extracts from HUVEC





This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US