

Product datasheet for AP20442PU-N

CBFB Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IF, IHC, WB
Recommended Dilution:	Western blot: 1/500 - 1/1000. Immunohistochemistry on paraffin sections: 1/50 - 1/200. Immunofluorescence: 1/50 - 1/200.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Specificity:	This antibody detects endogenous levels of PEBP2beta protein. (region surrounding Arg33)
Formulation:	Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2. State: Aff - Purified State: Liquid purified lg fraction
Concentration:	1.0 mg/ml
Purification:	Affinity chromatography (> 95% (by SDS-PAGE)
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Predicted Protein Size:	~ 22 kDa
Gene Name:	core-binding factor, beta subunit
Database Link:	<u>Entrez Gene 12400 MouseEntrez Gene 361391 RatEntrez Gene 865 Human</u> <u>Q13951</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE CBFB Rabbit Polyclonal Antibody – AP20442PU-N


Background:The transcription factor Polyomavirus enhancer binding protein 2 (PEBP2), also designated
Osf2 (Osteoblast-specific transcription factor), CBFA1 (Core Binding Factor) and AML3 (Acute
myeloid leukemia), is composed of two subunits, alpha and beta, which are essential for the
regulation of hematopoiesis and osteogenesis. The PEBP2alpha subunits, PEBP2alphaA,
PEBP2alphaB and PEBP2alphaC, are encoded by three RUNX genes, all of which contain a
128-amino acid region homologous to the highly conserved Drosophila segmentation gene,
runt. This region is involved in DNA binding and heterodimerization with the regulatory beta
subunit, which facilitates DNA binding of the alpha subunit. Both subunits are required for in
vivo function; the disruption of either gene results in a lack of definitive hematopoiesis
followed by embryo death in utero due to hemorrhage in the central nervous system. The
gene encoding PEBP2beta is the target of chromosomal inversion 16 (p13;q22) with the
smooth muscle myosin heavy chain, producing a chimeric gene, PEBP2beta/CBFbeta-SMMHC,
that is associated with human acute myeloid leukemia.

Synonyms:Core-binding factor beta, CBF-beta, CBF beta, PEBP2-beta, PEA2-betaProtein Families:Druggable Genome, Transcription Factors

Product images:



Western blot (WB) analysis of PEBP2beta antibody (Cat.-No.: AP202442PU-N) in extracts from HUVEC



Immunohistochemistry (IHC) analyzes of PEBP2beta antibody (Cat.-No.: AP202442PU-N) in paraffin-embedded human heart tissue.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US