

## **Product datasheet for AP20481PU-N**

## **BARD1 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

**Immunohistochemistry on Paraffin Sections**: 1/50-1/200.

Reactivity: Human

Host: Rabbit

Clonality: Polyclonal

**Specificity:** This antibody detects endogenous levels of BARD1 protein.

(region surrounding Arg8)

Formulation: Phosphate buffered saline (PBS), pH~7.2

State: Aff - Purified

State: Liquid purified Ig fraction (> 95% by SDS-PAGE)

Preservative: 15 mM Sodium Azide

**Concentration:** 1.0 mg/ml

**Purification:** Affinity Chromatography using epitope-specific immunogen

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

Predicted Protein Size: ~ 85 kDa

Gene Name: BRCA1 associated RING domain 1

Database Link: Entrez Gene 580 Human

Q99728



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Mutations within the BRCA1 gene, localized to chromosome 17q, are believed to account for approximately 45% of families with increased incidence of both early-onset breast cancer and ovarian cancer. The BRCA1 gene is expressed in numerous tissues, including breast and ovary, and encodes a predicted protein of 1863 amino acids. This protein contains a RING domain near the N-terminus and appears to encode a tumor suppressor. BARD1 (BRCA1-associated RING domain protein 1) and BAP1 (BRCA1-associated protein 1) have both been shown to bind to the N-terminus of BRCA1 and are potential mediators of tumor suppression. BARD1 contains an N-terminal RING domain and three tandem ankyrin repeats. The C-terminus of BARD1 contains a region with sequence homology to BRCA1, termed the BRCT domain. BAP1 is an ubiquitin hydrolase and has been shown to enhance BRCA1-mediated cell growth suppression.

Synonyms: BARD-1

**Protein Families:** Druggable Genome

## **Product images:**



Western blot analysis of BARD1 Antibody Cat.-No.- AP20481PU-N in extracts from HeLa cells at 1/500 dilution.