

Product datasheet for AP20541PU-M

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

COX17 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: Western blot: 1/500-1/1000.

Immunohistochemistry on Paraffin Sections: 1/50-1/200.

Immunofluorescence: 1/50-1/200.

Reactivity: Human, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Immunogen: Synthetic peptide, corresponding to the N-terminal of Human Cox-17.

Specificity: This antibody detects endogenous levels of COX17 protein.

(region surrounding Asn8)

Formulation: PBS, pH~7.2

State: Aff - Purified

State: Liquid purified Ig fraction (> 95% by SDS-PAGE)

Preservative: 0.05% Sodium Azide

Concentration: 1.0 mg/ml

Purification: Affinity Chromatography using epitope-specific immunogen

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: ~ 7 kDa

Gene Name: COX17 cytochrome c oxidase copper chaperone

Database Link: Entrez Gene 12856 MouseEntrez Gene 89786 RatEntrez Gene 10063 Human

Q14061



COX17 Rabbit Polyclonal Antibody - AP20541PU-M

Background: Cytochrome c oxidase 17 (COX17) is a nuclear gene encoding an assembly protein necessary

for proper COX apoenzyme-dependent mitochondrial respiration. The mammalian COX apoenzyme is a heteromer consisting of three mitochondrial genes that encode catalytic subunits and several nuclear genes that encode structural subunits. COX17 influences the recruitment of copper to the mitochondria for incorporation into the COX apoenzyme.


Synonyms: COX-17

Protein Pathways: Metabolic pathways, Oxidative phosphorylation

Product images:



Western blot (WB) analysis of COX17 antibody in extracts from HeLa cells.



Immunohistochemistry (IHC) analyzes of COX17 antibody in paraffin-embedded human liver carcinoma tissue.