

## **Product datasheet for AP20559PU-N**

## Rad51L1 (RAD51B) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Western blot: 1/500 - 1/1000.

Immunohistochemistry on paraffin sections: 1/50 - 1/200.

Reactivity: Human, Mouse

**Host:** Rabbit

Clonality: Polyclonal

**Immunogen:** Synthetic peptide, corresponding to amino acids 201-250 of Human Rad51B.

**Specificity:** This antibody detects endogenous levels of Rad51B protein

(region surrounding Gly226).

**Formulation:** Phosphate buffered saline (PBS), pH 7.2

State: Aff - Purified

State: Liquid purified Ig fraction (> 95% pure by SDS-PAGE)

Preservative: 0.05% Sodium Azide

**Concentration:** 1.0 mg/ml

**Purification:** Affinity Chromatography

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** ~ 45 kDa

Gene Name: RAD51 paralog B

**Database Link:** Entrez Gene 19363 MouseEntrez Gene 5890 Human

<u>O15315</u>



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


The DNA repair proteins Rad50, Rad51A-D, Rad52 and Rad54 A and B are key components of the double-strand break repair pathway (DSBR). The process of homologous recombination is a major DNA repair pathway that operates on DNA double-strand breaks to promote error-free repair. Human Rad51 protein assembles on a DNA molecule through cooperative binding and forms a long filament for homologous recombination. In addition to Rad51 protein, five paralogs have been identified in vertebrates, Rad51B, Rad51C, Rad51D, Xrcc2 and Xrcc3. Rad51B is a widely expressed protein that is involved in the repair of double-stranded DNA breaks that can arise during DNA replication. It can form a dimer with Rad51C and this complex shows single-stranded DNAdependent ATPase activity.

Synonyms: R51H2, RAD51B, RAD51 homolog B, RAD51-like protein 1, REC2


**Protein Families:** Druggable Genome

**Protein Pathways:** Homologous recombination

## **Product images:**



Western blot (WB) analysis of Rad51B antibody (Cat.-No.: AP20559PU-N) in extracts from COS-7 cells.



Immunohistochemistry (IHC) analyzes of Rad51B antibody (Cat.-No.: AP20559PU-N) in paraffinembedded human pancreas tissue.