

## **Product datasheet for AP20611PU-N**

## **MEIS1 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WE

Recommended Dilution: Western blot: 1/500 - 1/1000.

Reactivity: Human, Mouse

**Host:** Rabbit

Clonality: Polyclonal

**Specificity:** This antibody detects endogenous levels of Meis1 protein.

(region surrounding Ile278)

**Formulation:** Phosphate buffered saline (PBS), pH 7.2.

State: Aff - Purified

State: Liquid purified lg fraction Preservative: 0.05% sodium azide

Concentration: 1.0 mg/ml

**Purification:** Affinity chromatography (> 95% (by SDS-PAGE)

Conjugation: Unconjugated

**Storage:** Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Predicted Protein Size:** ~ 37 kDa

**Gene Name:** Meis homeobox 1

**Database Link:** Entrez Gene 17268 MouseEntrez Gene 4211 Human

O00470



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Hox, Pbx, and Meis families of transcription factors form heteromeric complexes and bind DNA through specific homeobox domains. Hox proteins are involved in regulating tissue patterning during development, and they are also expressed n lineage- and stage-specific patterns during adult ematopoietic ifferentiation and in leukemias. The Hox proteins, which include paralog groups 1 to 10, have a low intrinsic binding affinity for DNA and are instead associated into cooperative DNA binding complexes with Pbx or the Pbx related Meis proteins, which result in an enhanced Hox-DNA binding affinity and an increased selectivity for the binding site. Both Meis1 and 2 (also known as Meis-related gene 1) are members of the TALE (three amino acid loop extension) family of homeodomain-containing proteins. In addition to binding with Hox proteins, Meis1 also forms heterodimers with the ubiquitously expressed Pbx proteins, including Pbx1, Pbx2 and Pbx3, and these complexes contain distinct DNA-binding specificities.

Synonyms: Homeobox protein Meis1

**Protein Families:** Transcription Factors

## **Product images:**



Western blot (WB) analysis of Meis1 antibody (Cat.-No.: AP20611PU-N) in extracts from Jurkat cells.