

# Product datasheet for AP20674PU-M

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## GABA A Receptor alpha 1 (GABRA1) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: Immunohistochemistry on paraffin sections: 1/50 - 1/200.

Reactivity: Human, Mouse, Rat

Host: Rabbit
Clonality: Polyclonal

**Specificity:** This antibody detects endogenous levels of GABAA Ralpha1 protein.

(region surrounding Leu361)

**Formulation:** Phosphate buffered saline (PBS), pH 7.2

State: Aff - Purified

State: Liquid purified lg fraction Preservative: 0.05% sodium azide

Concentration: 1.0 mg/ml

**Purification:** Affinity chromatography (> 95% (by SDS-PAGE)

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** gamma-aminobutyric acid type A receptor alpha1 subunit

Database Link: Entrez Gene 14394 MouseEntrez Gene 29705 RatEntrez Gene 2554 Human

P14867



Background:


GAD-65 and GAD-67, glutamate decarboxylases of 65 and 67 kDa, respectively, function to catalyze the production of GABA (gamma-aminobutyric acid). In the central nervous system GABA functions as the main inhibitory transmitter by increasing a Cl-conductance that inhibits neuronal firing. GABA has been shown to activate both ionotropic (GABAA) and metabotropic (GABAB) receptors as well as a third class of receptors called GABAC. Both GABAA and GABAC are ligand-gated ion channels, however, they are structurally and functionally distinct. Members of the GABAA receptor family include GABAA Ralpha1-6, GABAA Rbeta1-3, GABAA Repsilon, GABAA Rdelta, GABAA Rgamma1-3, GABAA Rrho1 and GABAA Rrho2. The GABAB family is composed of GABAB R1alpha and GABAB R1beta. GABA transporters have also been identified and include GABA T-1, GABA T-2 and GABA T-3 (also designated GAT-1, -2 and -3). The GABA transporters function to terminate GABA action.

**Synonyms:** GABRA-1, GABA A receptor subunit alpha-1

**Protein Families:** Druggable Genome, Ion Channels: Cys-loop Receptors, Transmembrane

**Protein Pathways:** Neuroactive ligand-receptor interaction

### **Product images:**



Immunohistochemistry (IHC) analyzes of GABAA Ralpha1 antibody (Cat.-No.: [AP20674PU-N]) in paraffin-embedded human brain tissue.