

Product datasheet for AP20782PU-N

67kDa Laminin Receptor (RPSA) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies IHC, WB **Applications:** Recommended Dilution: Western blot: 1/500 - 1/1000. Immunohistochemistry on paraffin sections 1/50 - 1/200. **Reactivity:** Human, Mouse, Rat Host: Rabbit **Clonality:** Polyclonal Specificity: This antibody detects endogenous levels of Laminin-R protein. (region surrounding Gln215) Formulation: Phosphate buffered saline (PBS), pH 7.2. State: Aff - Purified State: Liquid purified lg fraction Preservative: 0.05% sodium azide **Concentration:** 1.0 mg/ml Affinity chromatography (> 95% (by SDS-PAGE) **Purification: Conjugation:** Unconjugated Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage: Avoid repeated freezing and thawing. Stability: Shelf life: one year from despatch. Predicted Protein Size: ~ 40 kDa Gene Name: ribosomal protein SA Database Link: Entrez Gene 16785 MouseEntrez Gene 29236 RatEntrez Gene 3921 Human P08865




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| | 67kDa Laminin Receptor (RPSA) Rabbit Polyclonal Antibody – AP20782PU-N |
|------------------|--|
| Background: | Laminin receptor (Laminin-R) has a heterodimeric structure similar to that of receptors for other extracellular matrix proteins such as Fibronectin and Vitronectin. Incorporation of Laminin-R into lysosomal membranes makes it possible for lysosomes to attach to surfaces coated with Laminin. This and other properties identify Laminin-R as a member of the integrin family of cell adhesion receptors. The Laminin-R precursor is a polypeptide whose expression is consistently upregulated in aggressive carcinoma. The precursor, which is also identified as p40 ribosome-associated protein, appears to be a multifunctional protein involved in the translational machinery. Laminin-R (also known as colon carcinoma Laminin- binding protein) is found at nine-fold higher levels in colon carcinoma than in adjacent normal colonic epithelium. Addi-tionally, the level of the Laminin-R is higher in the lung cancer cell line than in the lung cell line. |
| Synonyms: | 40S ribosomal protein SA, LAMBR, LAMR1, LamR, Laminin receptor 1, 37LRP, LRP/LR, 67LR, NEM/1CHD4 |
| Protein Families | : Druggable Genome |
| Protein Pathway | rs: Ribosome |

Product images:



Western blot (WB) analyzes of Laminin-R antibody (Cat.-No.: AP20782PU-N) in extracts from K562 cells.

Immunohistochemistry (IHC) analyzes of Laminin-R antibody (Cat.-No.: AP20782PU-N) in paraffinembedded human tonsil tissue.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US