

## Product datasheet for AP20952PU-N

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### IKK alpha (CHUK) pSer180 (+IKKB pSer181) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC

**Recommended Dilution:** Immunohistochemistry: 1/50 - 1/200.

Reactivity: Human, Mouse, Rat

Host: Rabbit
Clonality: Polyclonal

**Specificity:** p-IKKa/b (pSer180/181) pAb detects endogenous levels of p-IKKa/b protein. **Formulation:** Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.2.

State: Aff - Purified

State: Liquid purified Ig fraction

Concentration: 1,0 mg/ml

**Purification:** Affinity chromatography (> 95% (by SDS-PAGE)

**Conjugation:** Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** conserved helix-loop-helix ubiquitous kinase

Database Link: Entrez Gene 12675 MouseEntrez Gene 309361 RatEntrez Gene 1147 Human

<u>O15111</u>

**Background:** The transcription factor NFkappaB is retained in the cytoplasm in an inactive form by the

inhibitory protein IkappaB. Activation of NFkappaB requires that IkappaB be phosphorylated on specific serine residues, which results in targeted degradation of IkappaB. IkappaB kinase alpha (IKKalpha) interacts with IkappaB-alpha and specifically phosphorylates IkappaB-alpha on the sites that trigger its degradation, Serines 32 and 36. The functional IKK complex contains three subunits, designated IKKalpha, IKKbeta and IKKgamma (also designated

NEMO); each appears to make essential contributions to IkappaB phosphorylation. NFkappaB

inducing kinase (NIK) phosphorylates IKKalpha at Serine 176.





#### IKK alpha (CHUK) pSer180 (+IKKB pSer181) Rabbit Polyclonal Antibody - AP20952PU-N

Synonyms: CHUK, TCF16, I kappa-B kinase alpha, IkBKA, IKK-alpha, IKK-A, IkappaB kinase, I-kappa-B

kinase 1, NFKBIKA, IKK1


**Protein Families:** Druggable Genome, Protein Kinase

**Protein Pathways:** Acute myeloid leukemia, Adipocytokine signaling pathway, Apoptosis, B cell receptor signaling

pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Cytosolic DNA-sensing pathway, Epithelial cell signaling in Helicobacter pylori infection, MAPK signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Prostate cancer, RIG-I-like receptor signaling pathway, Small cell lung cancer, T cell receptor signaling pathway,

Toll-like receptor signaling pathway

# **Product images:**



Immunohistochemistry (IHC) analyzes of p-HER2 (pTyr1248) pAb in paraffin-embedded human skeletal muscle tissue.