

Product datasheet for AP21020PU-N

Chk2 (CHEK2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: Western Blot: 1/500 - 1/1000.

> Immunohistochemistry: 1/50 - 1/200. Immunofluorescence: 1/50 - 1/200.

Reactivity: Human, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Specificity: CHK2 pAb detects endogenous levels of CHK2 protein.

Formulation: Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.2.

State: Aff - Purified

State: Liquid purified Ig fraction

1,0 mg/ml Concentration:

Purification: Affinity chromatography (> 95% (by SDS-PAGE)

Conjugation: Unconjugated

Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage:

Avoid repeated freezing and thawing.

Shelf life: one year from despatch. Stability:

Gene Name: checkpoint kinase 2

Database Link: Entrez Gene 50883 MouseEntrez Gene 114212 RatEntrez Gene 11200 Human

O96017



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Chk2 (CHEK2) Rabbit Polyclonal Antibody - AP21020PU-N

Background: Cell cycle events are regulated by the sequential activation and deactivation of cyclin

dependent kinases (Cdks) and by proteolysis of cyclins. Chk1 and Chk2 are involved in these processes as regulators of Cdks. Chk1 and Chk2 both function as essential components in the G2 DNA damage checkpoint by phosphorylating Cdc25C in response to DNA damage. Phosphorylation inhibits Cdc25C activity, thereby blocking mitosis. Cdc25A, Cdc25B and

Cdc25C protein tyrosine phosphatases function as mitotic activators by dephosphorylating

Cdc2 p34 on regulatory tyrosine residues. It has also been shown that Chk1 can


phosphorylate Wee1 in vitro, providing evidence that the hyperphosphorylated form of Wee1, seen in cells delayed by Chk1 overexpression, is due to phosphorylation by Chk1.

Synonyms: CHEK2, CHEK-2, CHK-2, RAD53, Cds1

Protein Families: Druggable Genome, Protein Kinase, Stem cell - Pluripotency

Protein Pathways: Cell cycle, p53 signaling pathway

Product images:



Immunohistochemistry (IHC) analyzes of CHK2 pAb in paraffin-embedded human lung adenocarcinoma tissue.