

Product datasheet for AP21064PU-N

HLA-DOA Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Western blot: 1/500 - 1/1000.

Immunohistochemistry on paraffin sections: 1/50 - 1/200.

Reactivity: Human Host: Rabbit Clonality: Polyclonal

Specificity: This antibody detects endogenous levels of HLADOalpha protein.

(region surrounding Val111)

Formulation: Phosphate buffered saline (PBS), pH 7.2.

State: Aff - Purified

State: Liquid purified Ig fraction Preservative: 0.05% sodium azide

Concentration: 1.0 mg/ml

Affinity chromatography (> 95% (by SDS-PAGE) **Purification:**

Conjugation: Unconjugated

Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage:

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: ~ 34 kDa

major histocompatibility complex, class II, DO alpha Gene Name:

Database Link: Entrez Gene 3111 Human

P06340



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

Reacts with HLA-DO, a heterodimer formed by DNalpha and DObeta subunits in B cells. DNalpha and DObeta are the products of the non-classical class II genes, HLA-DNA and HLA-DOB, respectively. DO forms tight complexes with DM in the endoplasmic reticulum and is thereby sorted to lysosomal vesicles during antigen processing and presentation. It is tightly associated with DM and it is selectively expressed on antigenpresenting cells, such as B cells, dendritic cells and thymic epithelial cells. DO can enhance the efficiency of peptide loading and has been found to stabilize DM at low pH, preserving its chaperon activity. DO-DM complexes are more efficient than DM in protecting empty DR molecules. Reports describe DO as a co-chaperone of DM. This antibody has also been reported to be suitable for western blot and immunoprecipitation.

Synonyms: MHC class II antigen DOA, MHC DZ alpha, MHC DN-alpha, HLA-DNA, HLA-DZA


Protein Families: Transmembrane

Protein Pathways: Allograft rejection, Antigen processing and presentation, Asthma, Autoimmune thyroid


disease, Cell adhesion molecules (CAMs), Graft-versus-host disease, Systemic lupus

erythematosus, Type I diabetes mellitus, Viral myocarditis

Product images:



Western blot (WB) analysis of HLA-DOalpha antibody (Cat.-No.: AP21064PU-N) in extracts from COLO cells.



Immunohistochemistry (IHC) analyzes of HLA-DOalpha antibody (Cat.-No.: AP21064PU-N) in paraffin-embedded human breast carcinoma tissue.