

Product datasheet for AP21095PU-N

Product data:

Product Type: Primary Antibodies

SMAD2 Rabbit Polyclonal Antibody

Applications: WE

Recommended Dilution: Western blot: 1/500 - 1/1000.

Reactivity: Human, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Specificity: This antibody detects endogenous levels of Smad2 protein.

(region surrounding Pro251)

Formulation: Phosphate buffered saline (PBS), pH 7.2.

State: Aff - Purified

State: Liquid purified lg fraction Preservative: 0.05% sodium azide

Concentration: 1.0 mg/ml

Purification: Affinity chromatography (> 95% (by SDS-PAGE)

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: ~ 60 kDa

Gene Name: SMAD family member 2

Database Link: Entrez Gene 17126 MouseEntrez Gene 29357 RatEntrez Gene 4087 Human

Q15796



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

SMAD2 Rabbit Polyclonal Antibody - AP21095PU-N

Background: Smad proteins, the mammalian homologs of the Drosophila mothers against

decapentaplegic (Mad), have been implicated as downstream effectors of GF β /BMP signaling. Smad1 (also designated Madr1 or JV4-1) and Smad5 are effectors of BMP-2 and BMP-4 function, while Smad2 (also designated Madr2 or JV18-1) and Smad3 are involved in TGFbeta and activin-mediated growth modulation. Smad4 (also designated DPC4) has been shown to mediate all of the above activities through interaction with various Smad family members. Smad6 and Smad7 regulate the response to activin/TGFbeta signaling by interfering with TGFbeta-mediated phosphorylation of other Smad proteins.

Synonyms: SMAD family member 2, SMAD-2, SMAD 2, MADH2, MAD homolog 2, MADR2, Mad-related

protein 2, JV18-1

Protein Families: Cancer stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS, Stem


cell relevant signaling - JAK/STAT signaling pathway, Stem cell relevant signaling - TGFb/BMP

signaling pathway, Transcription Factors

Protein Pathways: Adherens junction, Cell cycle, Colorectal cancer, Pancreatic cancer, Pathways in cancer, TGF-

beta signaling pathway, Wnt signaling pathway

Product images:



Western blot (WB) analysis of Smad2 antibody (Cat.-No.: AP21095PU-N) in extracts from HepG2 cells.