

Product datasheet for **AP21312BT-N**

GPD1 Sheep Polyclonal Antibody

Product data:

| | |
|------------------------|---|
| Product Type: | Primary Antibodies |
| Applications: | ELISA, ID, IF, IP, R, WB |
| Recommended Dilution: | This product is intended for use in precipitating and non-precipitating antibody-binding assays (such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical techniques). <u>Working Dilutions:</u> Non-precipitating antibody-binding techniques: 1/100-1/1,000. |
| Reactivity: | Rabbit |
| Host: | Sheep |
| Isotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | Glycerol-3-Phosphate Dehydrogenase isolated and purified from rabbit muscle. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Specificity: | The antibody recognizes Glycerol-3-Phosphate Dehydrogenase from Rabbit muscle. The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: Immunoelectrophoresis, Cross-Immunoelectrophoresis, Single Radial Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and enzyme inhibition. Cross-reactivities against enzymes of other sources may occur but have not been determined. |
| Formulation: | PBS, pH 7.2 without preservatives and foreign proteins Label: Biotin State: Lyophilized hyperimmune IgG fraction Molar ratio: Biotin/IgG ~9.1 |
| Reconstitution Method: | Restore by adding 1.0 ml of sterile distilled water |
| Concentration: | lot specific |
| Purification: | Ammonium Sulphate Precipitation and Ion Exchange Chromatography |
| Conjugation: | Biotin |



[View online »](#)

| | |
|-----------------------|---|
| Storage: | Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in aliquots) at -20°C for longer. If a slight precipitation occurs upon storage, this should be removed by centrifugation. |
| Stability: | Shelf life: one year from despatch. |
| Database Link: | P08507 |
| Background: | Glycerol 3 Phosphate Dehydrogenase is a homodimer and belongs to the NAD dependent Glycerol 3 Phosphate Dehydrogenase family. |
| Synonyms: | GPDH-C, GPDHC, GPD-C, GPDC, Glycerol-3-phosphate dehydrogenase |