

Product datasheet for AP21370BT-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PGI1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, ID, IF, IP, R, WB

Recommended Dilution: Can be used for use in precipitating and non-precipitating antibody-binding assays (such as

e.g., ELISA and Western blotting and immunofluorescence or histochemical techniques). Recommended working dilutions: vary widely, but may be between 1/1000 and 1/5000.

Reactivity: Bakers Yeast

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Phosphoglucose isomerase isolated and purified from baker's yeast. Freund's complete

adjuvant is used in the first step of the immunization procedure.

Specificity: Biotin-conjugated IgG fraction of polyclonal rabbit antiserum to phosphoglucose isomerase

from baker's yeast.

The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: immunoelectrophoresis, cross-immunoelectrophoresis, single radial immunodiffusion (Ouchterlony), block titration, ELISA, immunoblotting and enzyme inhibition.

Formulation: PBS, pH 7.2 without preservatives and foreign proteins

Label: Biotin

State: Lyophilized hyperimmune IgG fraction

Label: <u>Marker:</u> N-Hydroxysuccinimidobiotin. <u>Conjugation procedure:</u> A proprietary technique for the binding to biotin is used, followed by several purification steps. After each step activity and specificity are tested in a variety of techniques. The conjugate is lyophilised to assure

stability and long shelf life Molar radio: Biotin/IgG ~5.0

Reconstitution Method: Restore by adding 1.0 ml of sterile distilled water

Concentration: lot specific

Purification: Ammonium Sulphate Precipitation and Ion Exchange Chromatography

Conjugation: Biotin





PGI1 Rabbit Polyclonal Antibody - AP21370BT-N

Storage: Prior to and following reconstitution store the antibody at 2-8°C for one month or at -20°C for

longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Database Link: P12709

Synonyms: Phosphoglucose isomerase, PGI1, Phosphohexose isomerase, PHI, Neuroleukin, NLK