

## Product datasheet for AP21402AF-N

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **CYB5R3 Rabbit Polyclonal Antibody**

### **Product data:**

Product Type: Primary Antibodies

Applications: ELISA, ID, IF, IP, R, WB

**Recommended Dilution:** Can be used in precipitating and non-precipitating antibody-binding assays (such as e.g.,

ELISA and Western blotting and immunofluorescence or histochemical techniques); to

prepare an insoluble immuno-affinity adsorbent; for labelling with a marker of the customer's

own choice.

Recommended working dilutions: vary widely, but may be between 1/1000 and 1/9000.

Reactivity: Bovine
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Diaphorase isolated and purified from porcine heart. Freund's complete adjuvant is used in

the first step of the immunization procedure.

**Specificity:** IgG fraction of polyclonal rabbit antiserum to diaphorase from porcine heart.

The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: immunoelectrophoresis, cross-immunoelectrophoresis, single radial immunodiffusion (Ouchterlony), block titration, ELISA, immunoblotting and enzyme inhibition.

**Formulation:** PBS, pH 7.2 without preservatives and foreign proteins

State: Azide Free

State: Lyophilized IgG fraction

**Reconstitution Method:** Restore by adding 1.0 ml of sterile distilled water

**Concentration:** lot specific

**Purification:** Ammonium Sulphate Precipitation and Ion Exchange Chromatography

**Conjugation:** Unconjugated

**Storage:** Prior to and following reconstitution store the antibody at 2-8°C for one month or at -20°C for

longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.





### CYB5R3 Rabbit Polyclonal Antibody - AP21402AF-N

Database Link: P83686

Synonyms: NADH-cytochrome b5 reductase 3, B5R, DIA1, Diaphorase-1