

Product datasheet for **AP21415BT-N**

Thermonuclease Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	ELISA, ID, IF, IP, R, WB
Recommended Dilution:	This product is intended for use in precipitating and non-precipitating antibody-binding assays (such as e.g., ELISA and Western blotting and Immunofluorescence or Histochemical techniques). <u>Recommended Dilutions:</u> Non-precipitating antibody-binding techniques: 1/1,000-1/15,000.
Reactivity:	Staphylococcus aureus
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Nuclease isolated and purified from Staphylococcus aureus. Freund's complete adjuvant is used in the first step of the immunization procedure.
Specificity:	This antibody is polyclonal immunologic reagents to Nuclease from <i>Staphylococcus aureus</i> . The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: Immuno-electrophoresis, Cross-Immuno-electrophoresis, single Radial Immunodiffusion (Ouchterlony), block titration, ELISA, Immunoblotting and Enzyme Inhibition. Cross-reactivities against enzymes of other sources may occur but have not been determined.
Formulation:	PBS, pH 7.2 without preservatives and foreign proteins Label: Biotin State: Lyophilized hyperimmune IgG fraction Molar ratio: Biotin/IgG ~4.8
Reconstitution Method:	Restore by adding 1.0 ml of sterile distilled water
Concentration:	lot specific
Purification:	Ammonium Sulphate Precipitation and Ion Exchange Chromatography
Conjugation:	Biotin



[View online »](#)

Storage:	Store the antibody lyophilized at 2-8°C and reconstituted at 2-8°C for one week or (in aliquots) at -20°C for longer. If a slight precipitation occurs upon storage, this should be removed by centrifugation.
Stability:	Shelf life: one year from despatch.
Database Link:	P00644
Background:	Native Stapylococcus aureus nuclease. Cleaves RNA and DNA to produce oligo- and mononucleotides with terminal 3'-phosphate groups. Also used to convert standard rabbit reticulocyte cell-free extracts (lysate) into mRNA-dependent protein synthesis systems.
Synonyms:	TNase, Nuclease, nuc