

Product datasheet for AP22621PU-N

CASZ1 (N-term) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: **ELISA:** 1/25000 - 1/100000.

Immunohistochemistry on Paraffin Sections: 5 µg/ml.

Western Blot: 1/1000 - 1/3000.

Reactivity: Bovine, Human, Monkey, Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Immunogen: CASZ1 antibody was raised against synthetic peptide corresponding to region near the amino

terminal end of human Cas5 protein according to accession number CAl22571

This antibody reacts to Castor Homolog 1, Zinc Finger (CASZ1), at N-terminus. Specificity:

Cross reactivity with multiple isoforms of this protein is expected. Cross reactivity with Cas5

from other sources has not been determined.

Formulation: 0.02 M potassium phosphate, 0.15 M sodium chloride, pH 7.2 containing 0.01% sodium

azide.

State: Aff - Purified

State: Liquid purified Ig fraction

Concentration: lot specific

Purification: Immunoaffinity Chromatography

Conjugation: Unconjugated

Storage: Store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

castor zinc finger 1 Gene Name:

Database Link: Entrez Gene 54897 Human

O86V15



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



CASZ1 (N-term) Rabbit Polyclonal Antibody - AP22621PU-N


Background: CASZ1 Antibody, Castor-related protein Antibody, CAS11 Antibody, Castor Antibody, Castor

homolog 1, zinc finger Antibody, CST Antibody, DJ734G22.1 Antibody, Zinc finger protein 693 Antibody, SRG Antibody, ZNF693 Antibody, Castor zinc finger 1 Antibody, Survival-related

Antibody

Synonyms: CST, SRG, ZNF693, Castor-related protein, Zinc finger protein 693

Product images:



Human Lung (formalin-fixed, paraffin-embedded) stained with CASZ1 antibody at 5 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody, alkaline phosphatase-streptavidin and chromogen.