

Product datasheet for AP23025PU-N

NDRG1 (C-term) Goat Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IHC, WB **Recommended Dilution: ELISA:** 1/32000.

Immunohistochemistry on Paraffin Sections: 2.5 µg/ml.

Western Blot: 1/32000, 0.1 - 0.3 μg/ml.

Reactivity: Human, Rabbit

Host: Goat

Clonality: Polyclonal

Immunogen: Synthetic peptide from C-terminus of human NDRG1

Specificity: This antibody detects NDRG1 (C-term).

Formulation: Tris saline buffer, pH 7.3, 0.5% BSA, 0.02% sodium azide

State: Purified

State: Liquid Ig fraction

Concentration: lot specific

Purification: Immunoaffinity chromatography

Conjugation: Unconjugated

Storage: Store at 2 - 8 °C for up to one month or (in aliquots) at -20 °C for longer. Avoid repeated

freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: N-myc downstream regulated 1

Database Link: Entrez Gene 10397 Human

Q92597

Synonyms: CAP43, DRG1, DRG-1, RTP, Rit42




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Western Blot Image: Antibody staining (0.1 ug/ml) of Human Kidney lysate (RIPA buffer, 35 ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.



Immunohistochemistry Image: Human Colon: Formalin-Fixed, Paraffin-Embedded (FFPE)





Immunohistochemistry Image: Human Prostate: Formalin-Fixed, Paraffin-Embedded (FFPE)