

Product datasheet for AP23121PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Thrombospondin 1 (THBS1) (19-32) Goat Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: Immunohistochemistry on Paraffin Sections: 3.75 µg/ml.

Reactivity: Canine, Equine, Goat, Human, Monkey, Mouse, Porcine, Rabbit, Rat, Bovine

Host: Goat

Clonality: Polyclonal

Immunogen: Synthetic peptide from N-Terminus of human THBS1 (NP_003237.2)

Specificity: This antibody detects Thrombospondin-1 (THBS1) at N-term.

Formulation: Tris saline, pH 7.3

State: Aff - Purified

State: Liquid purified Ig fraction

Stabilizer: 0.5% BSA

Preservative: 0.02% Sodium Azide

Concentration: lot specific

Purification: Immunoaffinity Chromatography

Conjugation: Unconjugated

Storage: Upon receipt, store undiluted (in aliquots) at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: Homo sapiens thrombospondin 1 (THBS1)

Database Link: Entrez Gene 21825 MouseEntrez Gene 445442 RatEntrez Gene 7057 Human

P07996

Background: Adhesive glycoprotein that mediates cell-to-cell and cell-to-matrix interactions. Binds

heparin. May play a role in dentinogenesis and/or maintenance of dentin and dental pulp (By similarity). Ligand for CD36 mediating antiangiogenic properties. Plays a role in ER stress response, via its interaction with the activating transcription factor 6 alpha (ATF6) which

produces adaptive ER stress response factors.

Synonyms: TSP, TSP1




Protein Families: Druggable Genome


Protein Pathways: Bladder cancer, ECM-receptor interaction, Focal adhesion, p53 signaling pathway, TGF-beta

signaling pathway

Product images:



Formalin-Fixed, Paraffin-Embedded Human Placenta stained with Thrombospondin-1 Antibody at 3.75 ug/ml after heat-induced antigen retrieval.



Formalin-Fixed, Paraffin-Embedded Human Spleen stained with Thrombospondin-1 Antibody at 3.75 ug/ml after heat-induced antigen retrieval.