

Product datasheet for **AP23287PU-N**

Calretinin (CALB2) (N-term) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Western blot: At 1-2µg/ml with the appropriate system to detect calretinin in cells and tissues. Immunohistochemistry on paraffin sections: At 1-2µg/ml to detect calretinin in formalin fixed and paraffin embedded tissues.
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide corresponding to a sequence at the N-terminal of human calretinin
Specificity:	This antibody detects Calretinin at N-term. No cross reactivity with other proteins.
Formulation:	50% glycerol, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ State: Aff - Purified State: Lyophilized Ig fraction
Reconstitution Method:	1.2% sodium acetate or neutral PBS. If 0.5ml of PBS is used, the antibody concentration will be 100µg/ml.
Purification:	Immunogen affinity purified
Conjugation:	Unconjugated
Storage:	Store at 2 - 8 °C for up to one month or (in aliquots) at -20 °C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	calbindin 2
Database Link:	Entrez Gene 12308 Mouse Entrez Gene 117059 Rat Entrez Gene 794 Human P22676



[View online »](#)

Background:

Calbindin is a calcium-binding protein belonging to the troponin C superfamily. Calretinin is expressed in central and peripheral nervous system and in many normal and pathological tissues. The rat and human calretinin exhibit 98% sequence homology and 91% homology to many other species. Two calcium binding proteins, calbindin and calretinin, have been reported to be expressed in abundance in Purkinje cells and other cell types in the cerebellum.

Synonyms:

CALB2, CAB29, 29 kDa calbindin

Product images:

Immunohistochemical analysis of paraffin-embedded human mammary cancer using Calretinin antibody