

## **Product datasheet for AP23783PU-N**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **GST-Tag Goat Polyclonal Antibody**

#### **Product data:**

**Product Type:** Primary Antibodies

**Applications:** ELISA

Recommended Dilution: This product has been assayed against 1.0 µg of Glutathione-S-Transferase [Schistosoma

japonicum] in a standard Sandwich ELISA using Peroxidase conjugated Affinity Purified Rabbit

anti-Goat IgG [H&L] and (ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) as a

substrate for 30 minutes at RT.

A working dilution of 1/3,000 to 1/15,000 of the reconstitution concentration is suggested for

this product.

**Reactivity:** Schistosoma japonicum

**Host:** Goat

Clonality: Polyclonal

Immunogen: Glutathione-S-Transferase [Schistosoma japonicum]

**Specificity:** Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Goat Serum as

well as purified and partially purified Glutathione-S-Transferase [Schistosoma japonicum]. Cross reactivity against Glutathione-S-Transferase from other sources may occur but has not

been specifically determined.

Formulation: 0.02M Potassium Phosphate, 0.15M Sodium Chloride, pH 7.2, containing 0.01% (w/v) Sodium

Azide

State: Aff - Purified

State: Liquid (sterile filtered) purified IgG fraction

**Purification:** A Multistep process which includes Delipidation, Salt Fractionation and Ion Exchange

Chromatography followed by extensive dialysis against the buffer

Conjugation: Unconjugated



### **GST-Tag Goat Polyclonal Antibody - AP23783PU-N**

Storage: AP23783PU-N:

This antibody is stable for one month at 2-8°C as an undiluted liquid. For extended storage aliquot contents and freeze at -20°C or below.

Dilute only prior to immediate use. Avoid repeated freezing and thawing. Shelf life: One year from despatch.

AP23783PU-S:

Store vial at -20°C or below prior to opening. This vial contains a relatively low volume of reagent (25  $\mu$ L). To minimize loss of volume dilute 1/10 by adding 225  $\mu$ l of the buffer stated before directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial.

Use this intermediate dilution when calculating final dilutions as recommended below.

Store the vial at -20°C or below after dilution.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: Three months from despatch.

Database Link: P08515

**Background:** GST (Glutathione S-Transferase) is a 26kDa protein encoded by the parasitic helminth

Schistosoma japonicum and widely used in the pGEX family of GST plasmid expression

vectors as a fusion protein with foreign proteins.

**Synonyms:** Glutathione S-transferase Tag, GST26-Tag