

## Product datasheet for AP26045PU-S

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

OriGene Technologies, Inc.

techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

## Chk2 (CHEK2) (514-518) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WB

**Recommended Dilution:** Western blot: 1:500 - 1:1000.

Reactivity: Human

Host: Rabbit

Clonality: Polyclonal

**Immunogen:** Peptide sequence around aa 514~518 derived from Chk2

**Specificity:** This antibody detects endogenous levels of total Chk2 protein.

Formulation: Phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium

azide and 50% glycerol State: Aff - Purified State: Liquid Ig fraction

**Concentration:** lot specific

**Purification:** Affinity-chromatography using epitope-specific peptide

**Conjugation:** Unconjugated

Storage: Store (in aliquots) at -20 °C. Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**Gene Name:** checkpoint kinase 2

**Database Link:** Entrez Gene 11200 Human

<u>096017</u>



**Background:** The BRCA1-BARD1 heterodimer coordinates a diverse range of cellular pathways such as

DNA damage repair, ubiquitination and transcriptional regulation to maintain genomic

stability. Acts by mediating ubiquitin E3 ligase activity that is required for its tumor suppressor function. Plays a central role in DNA repair by facilitating cellular response to DNA

repair. Required for appropriate cell cycle arrests after ionizing irradiation in both the S-phase and the G2 phase of the cell cycle. Involved in transcriptional regulation of P21 in response to DNA damage. Required for FANCD2 targeting to sites of DNA damage. May function as a transcriptional regulator. Inhibits lipid synthesis by binding to inactive phosphorylated ACACA

and preventing its dephosphorylation.


Synonyms: CHEK2, CHEK-2, CHK-2, RAD53, Cds1

Note: Molecular weight: 62 kDa

**Protein Families:** Druggable Genome, Protein Kinase, Stem cell - Pluripotency

**Protein Pathways:** Cell cycle, p53 signaling pathway

## **Product images:**



Western blot analysis of extract from HL60 cells using Chk2 Antibody.