

## Product datasheet for AP31268PU-N

## **CIITA (N-term) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: ELISA.

**Immunohistochemistry on Paraffin Sections:** 5 µg/ml.

Western Blot: 1 - 2 µg/ml.

Reactivity: Human, Mouse, Rat

**Host:** Rabbit

Clonality: Polyclonal

Immunogen: Synthetic peptide - KLH conjugated

**Specificity:** This antibody reacts to the N-term of CIITA.

**Formulation:** PBS containing 0.02% sodium azide as preservative

State: Purified

State: Liquid purified Ig fraction

**Concentration:** lot specific

**Purification:** Immunoaffinity chromatography

Conjugation: Unconjugated

**Storage:** Store the antibody undiluted at 2-8°C.

**Stability:** Shelf life: one year from despatch.

Gene Name: Homo sapiens class II major histocompatibility complex transactivator (CIITA), transcript

variant 2

Database Link: Entrez Gene 12265 MouseEntrez Gene 85483 RatEntrez Gene 4261 Human

P33076



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a protein with an acidic transcriptional activation domain, 4 LRRs (leucine-rich repeats) and a GTP binding domain. The protein is located in the nucleus and acts as a positive regulator of class II major histocompatibility complex gene transcription, and is referred to as the "master control factor" for the expression of these genes. The protein also binds GTP and uses GTP binding to facilitate its own transport into the nucleus. Once in the nucleus it does not bind DNA but rather uses an intrinsic acetyltransferase (AT) activity to act in a coactivator-like fashion. Mutations in this gene have been associated with bare lymphocyte syndrome type II (also known as hereditary MHC class II deficiency or HLA class II-deficient combined immunodeficiency), increased susceptibility to rheumatoid arthritis, multiple sclerosis, and possibly myocardial infarction.

Synonyms: MHC2TA

**Protein Pathways:** Antigen processing and presentation, Primary immunodeficiency

## **Product images:**



Human Tonsil: Formalin-Fixed, Paraffin-Embedded (FFPE)